

Who we are



One of the best nailing machine producers in Europe

60 years experience

4 export continents

Over **2000** machines sold

90% of export

 **OLIMPIA[®]**
CHIODATRICI
s.r.l.

Woodworking machine since 1960

MAILBOXESPTC - Cento (FE) - tel. 051.6121899

Send us a message or visit us
Whenever you like

Via Quattro Torri, 4

44047 - Terre del Reno loc. Sant'Agostino (FE) - ITALY

Web: www.olimpiachiodatrici.it


Phone: 0039 0532 84031





E-mail: info@olimpiachiodatrici.it


NAILING
MACHINES

Get in Touch With Us



AS SHUTTLE NAILING MACHINE








WORKERS	PRODUCTION in 1 hour	NAILING CYCLE	CHANGEDOVER TIMES
 2/3	 100 pieces approx	 14" seconds	 20' minutes
POS 1	MACHINE DESCRIPTION AS - SHUTTLE NAILING MACHINE		
POS	DESCRIPTION		
1.1	Nr. 3 nails boxes with 10 drops each one		
1.2	Nr. 27 hammers for nails from 27 mm to 90 mm		
1.3	Autoregulated hydraulic system		
1.4	Managed speed by the operator		
1.5	Automatic controller for the nailing position		
1.6	High efficiency hydraulic system		
1.7	Touch screen panel		
1.8	Nr. 1 jigs on your drawing		
1.9	Cooler for temperature higher than 45°C		

AS - SHUTTLE NAILING MACHINE				
PALLET TYPES				
				
PALLET DIMENSIONS (different sizes on request)				
	Width (W)	Length (L)		
TYPES AS	W x L	W x L	W x L	
AS 15 A	1500 x 1500	-	-	
AS 18 A	1500 x 1800	1800 x 1800	-	
AS 20 A	1500 x 2000	1800 x 2000	2000 x 2000	

ADS SHUTTLE NAILING MACHINE WITH DOUBLE JIGS



WORKERS	PRODUCTION in 1 hour	NAILING CYCLE	CHANGEDOVER TIMES
 2/3	 90 pieces approx	 30" seconds	 20' minutes
POS 1	MACHINE DESCRIPTION ADS - SHUTTLE NAILING MACHINE WITH DOUBLE JIGS		
POS	DESCRIPTION		
1.1	Nr. 3 nails boxes with 10 drops each one		
1.2	Nr. 27 hammers for nails from 27 mm to 90 mm		
1.3	Autoregulated hydraulic system		
1.4	Managed speed by the operator		
1.5	Automatic controller for the nailing position		
1.6	High efficiency hydraulic system		
1.7	Touch screen panel		
1.8	Nr. 1 jigs on your drawing		
1.9	Cooler for temperature higher than 45°C		

ADS - SHUTTLE NAILING MACHINE WITH DOUBLE JIGS				
PALLET TYPES				
				
PALLET DIMENSIONS (different sizes on request)				
	Width (W)	Length (L)		
TYPES ADS	W x L	W x L	W x L	
ADS 15 A	1500 x 1500	-	-	
ADS 18 A	1500 x 1800	1800 x 1800	-	
ADS 20 A	1500 x 2000	1800 x 2000	2000 x 2000	

Who we are



One of the best nailing machine producers in Europe

60 years experience

4 export continents

Over **2000** machines sold

90% of export

Get in Touch With Us

Send us a message or visit us
Whenever you like

Via Quattro Torri, 4

44047 - Terre del Reno loc. Sant'Agostino (FE) - ITALY

Web: www.olimpiachiodatrici.it

Phone: 0039 0532 84031

E-mail: info@olimpiachiodatrici.it

MAILBOXETC Cento (FE) - tel. 051.6121899





 **OLIMPIA[®]**
CHIODATRICI
s.r.l.


Woodworking machine since 1960


TSL NAILING MACHINE
CONTINUOUS CYCLE
FOR BRIDGES

TSL NAILING MACHINE
CONTINUOUS CYCLE
FOR BRIDGES



WORKERS	PRODUCTION in 1 hour	LINE SPEED	CHANGEDOVER TIMES
 1/2	 1 worker: 250 pieces 2 workers: 700 pieces	 12 bridges per minute	 5/10' minutes
POS 1	MACHINE DESCRIPTION TSL - NAILING MACHINE CONTINUOUS CYCLE FOR BRIDGES		
POS	DESCRIPTION		
1.1	Nr. 1 containers of nails at 12 drops each		
1.2	Nr. 12 high-strength nail polishing clamps for nails 27 to 90 mm		
1.3	Nr. 3 traction holes for the caps, adjustable by gearmotor		
1.4	Nr. 1 automatic spreader table with width adjustment		
1.5	Self-leveling hydraulic self-leveling hydraulic system for heights from 70 to 160 mm		
1.6	Electric train driven by variable speed vector inverter		
1.7	Motorized extractor of jumper assembled		
1.8	Pneumatic clamping of the pliers		
1.9	High efficiency hydraulic system		
1.10	Touch-screen panel for plant management		
1.11	Minimum space between the caps 150 mm		



TSL - Nail Clipper For Bridges Assembly	
PALLET TYPES	
	
PALLET DIMENSIONS (different sizes on request)	Length (L)
TYPES TSL	Nr. Foot
	(L) 1500 3
	(L) 1800 3/4
	(L) 2000 3/4

Who we are



One of the best nailing machine producers in Europe

60 years experience

4 export continents

Over **2000** machines sold

90% of export

OLIMPIA[®] **CHIODATRICI** s.r.l.

Woodworking machine since 1960

MAILBOXESITC - Cento (FE) - tel. 051.6121899

Send us a message or visit us
Whenever you like

Via Quattro Torri, 4

44047 - Terre del Reno loc. Sant'Agostino (FE) - ITALY

Web: www.olimpiachiodatrici.it



Phone: 0039 0532 84031

E-mail: info@olimpiachiodatrici.it

ROBOT SYSTEM



Get in Touch With Us


ROBOT SYSTEM Stacker



Utility:

The modularity of our components allows you to integrate into your nailing machine or line the STACKER ROBOT.
The STACKER ROBOT takes the ready-made pallets and stacks them in the pallet exit conveyor

WORKERS	CHANGEDOVER TIMES
 1	 1' minute
POS 1	MACHINE DESCRIPTION ROBOT SYSTEM - Stacker
POS	DESCRIPTION
1.1	Robot to make pallet's stack (up to 2.70 m)
1.2	Anthropomorphic six axis robot
1.3	Gripper with pneumatic control
1.4	Capacity: 175 kg
1.5	Pick up station
1.6	Reinforced support base
1.7	Independent electrical cabinet with touch screen panel

ROBOT SYSTEM - Stacker	
PALLET TYPES	
	
PALLET DIMENSIONS (different sizes on request)	
SIZE PALLET	Width (W) ↔ Length (L) ↔
	W x L
	600 x 600
	1200 x 2300